



WESTERN
METALS
RECYCLING



Prohibited Items and Conditional Acceptance Criteria

Source Control - Exhibit 1

Prohibited Items

The following items are prohibited from acceptance at DJJ and its subsidiaries, except by special arrangement with DJJ:

- Acetylene Cylinders
- Asbestos or Asbestos Containing Materials (ACM)- applies to both fibrous and solid materials
- Any Scrap Containing Refrigerants (CFC or HCFC) unless the facility has agreed to recover the refrigerants
- Cathode Ray Tubes (CRT/tube-style computer monitors or televisions)
- Closed Compressed Gas Cylinders – high pressure cylinders with valve intact
- Combustible or Flammable Materials - fuels, paints, degreasers, unpunctured aerosol cans
- Corrosive Materials - highly acidic or caustic materials (battery acid, caustic soda, etc.)
- Explosive Materials, Munitions, Shell Casings – includes suspect military scrap
- Free Flowing Liquids (including water)
- Hazardous Waste – toxic or poisonous materials or wastes
- Infectious Materials – blood-soaked or biohazard items
- Liquids or Scrap Containing Free Flowing Liquids - fuels, antifreeze, oils, hydraulic fluid, paints
- Mercury Containing Materials - mercury-containing thermostats, switches or fluorescent light bulbs
- Non-Metallic Items - concrete, wood, asphalt, dirt, debris, tires (more than 5 per auto)
- PCB-Containing Materials
- Radioactive Scrap – anything exhibiting radiation levels above background
- Scrap with Small Capacitors that contain ≥ 50 ppm of PCBs

Conditional Acceptance

The following items are prohibited from acceptance at DJJ and its subsidiaries, except by special arrangement with DJJ:

Scrap Item	Conditions for Acceptance
Crushed Automobiles	Crushed autos are accepted, provided the refrigerants that have not previously leaked have been properly recovered, the battery, lead terminal connectors, lead wheel weights, and mercury containing convenience light switch assemblies have been removed, the fluids have been removed to extent practicable or otherwise required by law, and air bag canisters have been deployed or removed as required by law.
Transformers	Unless agreed to otherwise, transformers must be completely drained, and have an analytical report on the oil that was previously contained that shows PCB concentrations were less than 2ppm.
Industrial 55-Gallon Drums	Accepted if they are open top and are completely empty with no solids or vapors, or are closed top and are empty and crushed flat such that no vapors could be accumulated.
Propane Cylinders	Accepted if the valve has been removed. These must be managed in a designated area.
AST or UST Petroleum Tanks	Accepted as scrap if there are holes large enough to physically inspect the inside to verify the tanks contain no sludge or residue, and there are no combustible vapors present.
Oily Motor Blocks/ Transmissions	Accepted only at DJJ facilities equipped with a means of containing fluids and controlling or capturing and managing stormwater from these storage areas.
Batteries and other Lead Sources	Accepted only at the non-ferrous kiosks. These items cannot be mixed with sheet iron or left in automobiles.
Oil Filters	Must have been drained in accordance with local or federal laws and regulations.